The Torch/G700 Tactical Flashlight Instruction Manual

Option 1 - Use 3 AAA Batteries (not included)

- To use 3 AAA batteries, you'll use the AAA battery adapter that is stored inside of the flashlight.
- On the bottom end of the flashlight, close to the green power switch (power switch maybe another color), twist the tail end of the flashlight until tail end is fully unscrewed.
- Locate and remove the AAA battery adapter from the flashlight.
- Install each AAA battery so the negative side of the battery is in contact with each spring.
- When all 3 batteries are installed in the adapter, place the adapter back inside the flashlight. The adapter's male end should point towards the flashlight head unit.
- Screw the tail piece of the flashlight until firmly tightened.
- Test to see if the batteries are functioning by pressing the green power switch (power switch maybe another color) located on the back of the flashlight.

Option 2 - Use an 18650 Rechargeable Battery like the ones in the Torch Duo Battery Pack available here:

http://www.freeflashlight.com/battery

- To use the rechargeable battery, you'll use the clear plastic battery holder included with your flashlight.
- On the bottom end of the flashlight, close to the green power switch (power switch maybe another color), twist the tail end of the flashlight until tail end is fully unscrewed.
- Locate and remove the AAA battery adapter from the flashlight.
- Locate the clear plastic battery holder. Place this holder inside the battery slot.
- Take the 18650 battery and insert it in the slot firmly inside the plastic holder inside the flashlight. Insert the positive end of the battery facing the flashlight head unit.
- Screw the tail piece of the flashlight until firmly tightened.
- Test to make sure the battery installation is functioning properly by pressing the green power switch (power switch maybe another color)

Charging Your Device:

Directions for Using the Torch Duo Battery Pack (Optional)

- Locate the 18650 battery
- Locate the wall charger unit provided with the Torch Duo Battery Pack.
- Place the 18650 battery in the charger with the positive side facing the light on the charger.
- Plug the wall charger into an available wall outlet.
- If the battery is installed correctly, you will see a red light
- When a battery is fully charged the red light will turn green.







The Torch/G700 Tactical Flashlight Instruction Manual

Powering Your Device:

- When batteries are installed and ready to use, locate the green power button (power button maybe another color) on the rear side of your flashlight.
- Press the green power button (power button maybe another color) to power on your device.





Switching Light Modes:

- To switch modes on your flashlight press the green power switch multiple times. (power switch maybe another color)
- You may cycle through light modes to choose which light mode you would like to use.
- Torch Tactical Flashlight has 5 light modes to chose from: High Medium Low Strobe SOS
- Locate the head unit on the flashlight.
- To zoom the light beam in, pull the flashlight head unit out.
- To zoom the light beam out, push the flashlight head unit in.



WARNING: NEVER POINT LIGHT BEAM DIRECTLY INTO EYES. FLASHLIGHT MAY CAUSE BLINDNESS.

Flashlight Troubleshooting

My flashlight doesn't work.

- 1 Check the battery polarity (make sure your batteries are facing in the proper direction)
- 2 Try different batteries, even if the one or ones you are using are new.
- 3 Clean all contacts: These are the points where the positive and negative ends of the batteries make contact with the light. (Rubbing alcohol and a Q-tip work fine for this)

4. If your light still won't turn on, focus your attention on the switch. Remove the tail cap and find something conductive like a key, tweezers or a paperclip. Next, place the conductive object across the tail section so that it makes contact with both the flashlight and the battery. If the light turns on now, you know the circuit is good, but the switch is failing to com- plete it. Inspect the switch and ensure there is nothing loose inside. If it does seem loose, use a tool to twist the retaining ring counter-clockwise. This will ensure everything is tightly in place. Re-attach the tail cap and see if tightening the switch solved the issue. If it does not turn on, the issue is with the LED or the circuitry surrounding it.

My flashlight doesn't seem bright.

1 - The flashlight might be on a lower setting. To be sure it's on the brightest setting, click the power button a few times. The brightest

setting is after the SOS mode.

2 - Check your batteries to be sure they have enough power. If you're using a rechargeable battery, try charging the battery if it's not been charged recently.

The zoom feature that was advertised and which is shown by an IN and OUT arrow marking on the flashlight head isn't working properly.

1 - The movable part of the flashlight maybe sticking, try pulling a little harder on the zoom feature so it works properly.